

材質	外径	内径	長さ
P t - I R 10%	0.135	0.07	0.5
P t - I R 10%	0.15	0.07	0.5
P t - I R 10%	0.15	0.085	0.6
P t - I R 10%	0.155	0.06	0.5
P t - I R 10%	0.155	0.1	0.5
P t - I R 10%	0.16	0.11	0.5
P t - I R 10%	0.16	0.11	0.6
P t - I R 10%	0.16	0.11	0.6
P t - I R 10%	0.16	0.11	0.85
P t - I R 10%	0.17	0.1	1.0
P t - I R 10%	0.17	0.11	1.0
P t - I R 10%	0.18	0.1	0.6
P t - I R 10%	0.185	0.115	0.8
P t - I R 10%	0.19	0.11	1.0
P t - I R 10%	0.21	0.15	0.85
P t - I R 10%	0.22	0.14	0.85
P t - I R 10%	0.22	0.14	0.85
P t - I R 10%	0.23	0.18	0.5
P t - I R 10%	0.25	0.15	1.5
P t - I R 10%	0.25	0.18	0.75
P t - I R 10%	0.25	0.2	1.0
P t - I R 10%	0.3	0.2	0.5
P t - I R 10%	0.3	0.2	0.75
P t - I R 10%	0.35	0.245	1.5
P t - I R 10%	0.35	0.27	6.2
P t - I R 10%	0.35	0.29	6.2
P t - I R 10%	0.356	0.28	200
P t - I R 10%	0.37	0.25	2.0
P t - I R 10%	0.37	0.31	1
P t - I R 10%	0.38	0.17	0.5
P t - I R 10%	0.4	0.32	1.0
P t - I R 10%	0.45	0.325	1.0
P t - I R 10%	0.47	0.35	2.5
P t - I R 10%	0.5	0.38	0.3
P t - I R 10%	0.57	0.45	0.3
P t - I R 10%	0.570	0.520	1.00
P t - I R 10%	0.580	0.530	0.60
P t - I R 10%	0.600	0.550	1.00
P t - I R 10%	0.62	0.57	0.76
P t - I R 10%	0.630	0.580	1.00
P t - I R 10%	0.640	0.590	0.60

材質	外径	内径	長さ
P t - I R 10%	0.648	0.598	0.762
P t - I R 10%	0.66	0.58	1.0
P t - I R 10%	0.660	0.600	0.60
P t - I R 10%	0.68	0.60	1.00
P t - I R 10%	0.68	0.63	1.0
P t - I R 10%	0.69	0.64	0.60
P t - I R 10%	0.7	0.6	1.0
P t - I R 10%	0.700	0.640	0.60
P t - I R 10%	0.7	0.65	0.60
P t - I R 10%	0.700	0.650	0.70
P t - I R 10%	0.700	0.650	0.70
P t - I R 10%	0.71	0.65	0.7
P t - I R 10%	0.71	0.66	0.60
P t - I R 10%	0.73	0.67	0.60
P t - I R 10%	0.73	0.67	0.60
P t - I R 10%	0.735	0.635	1.0
P t - I R 10%	0.740	0.680	0.60
P t - I R 10%	0.780	0.700	3.00
P t - I R 10%	0.8	0.71	1.0
P t - I R 10%	0.820	0.760	0.60
P t - I R 10%	0.82	0.76	1.0
P t - I R 10%	0.85	0.79	0.60
P t - I R 10%	0.88	0.78	1.0
P t - I R 10%	0.88	0.8	1.0
P t - I R 10%	0.880	0.830	0.60
P t - I R 10%	0.89	0.84	0.60
P t - I R 10%	0.91	0.85	1.0
P t - I R 10%	0.93	0.88	0.5
P t - I R 10%	0.950	0.800	2.00
P t - I R 10%	0.950	0.870	0.50
P t - I R 10%	0.950	0.870	0.8
P t - I R 10%	0.98	0.9	2
P t - I R 10%	1.0	0.9	1.0
P t - I R 10%	1.0	0.92	1.0
P t - I R 10%	1.04	0.94	2.5
P t - I R 10%	1.050	1.000	0.50
P t - I R 10%	1.050	1.010	0.60
P t - I R 10%	1.060	0.980	3.00
P t - I R 10%	1.06	1.02	2.5
P t - I R 10%	1.1	1.0	1.0
P t - I R 10%	1.100	1.050	0.50

材質	外径	内径	長さ
P t - I R 10%	1.110	1.050	1.00
P t - I R 10%	1.150	1.100	0.75
P t - I R 10%	1.180	1.130	0.75
P t - I R 10%	1.2	1.1	1.0
P t - I R 10%	1.2	1.15	0.75
P t - I R 10%	1.23	1.15	1.0
P t - I R 10%	1.25	1.15	1.0
P t - I R 10%	1.260	1.200	2.00
P t - I R 10%	1.27	1.15	1.0
P t - I R 10%	1.3	1.2	1.0
P t - I R 10%	1.3	1.2	2
P t - I R 10%	1.300	1.250	0.75
P t - I R 10%	1.320	1.260	1.00
P t - I R 10%	1.32	1.26	1.0
P t - I R 10%	1.32	1.26	1.0
P t - I R 10%	1.33	1.28	0.75
P t - I R 10%	1.35	1.3	0.75
P t - I R 10%	1.46	1.36	1.0
P t - I R 10%	1.48	1.43	1.0
P t - I R 10%	1.5	1.4	3.0
P t - I R 10%	1.52	1.42	1.2
P t - I R 10%	1.55	1.5	1.0
P t - I R 10%	1.56	1.51	1.0
P t - I R 10%	1.57	1.47	1.27
P t - I R 10%	1.58	1.52	1.0
P t - I R 10%	1.6	1.52	4.0
P t - I R 10%	1.6	1.52	4
P t - I R 10%	1.65	1.6	1.0
P t - I R 10%	1.67	1.6	0.6
P t - I R 10%	1.67	1.62	0.8
P t - I R 10%	1.74	1.69	1.0
P t - I R 10%	1.74	1.69	1.0
P t - I R 10%	1.74	1.7	1
P t - I R 10%	1.770	1.710	1.00
P t - I R 10%	1.77	1.72	2.0
P t - I R 10%	1.77	1.72	2.0
P t - I R 10%	1.79	1.69	2.0
P t - I R 10%	1.92	1.84	1.0
P t - I R 10%	1.96	1.9	1.0
P t - I R 10%	1.96	1.91	1.0
P t - I R 10%	1.98	1.92	1.0

材質	外径	内径	長さ
P t - l R 10%	2.0	1.800	1.5
P t - l R 10%	2.0	1.9	1.0
P t - l R 10%	2.00	1.94	1.0
P t - l R 10%	2	1.95	1.8
P t - l R 10%	2.02	1.97	1.5
P t - l R 10%	2.02	1.97	1.8
P t - l R 10%	2.02	1.97	2.0
P t - l R 10%	2.02	1.97	2.5
P t - l R 10%	2.050	1.950	1.00
P t - l R 10%	2.05	2.01	1.0
P t - l R 10%	2.09	2.05	1.00
P t - l R 10%	2.09	2.05	1.00
P t - l R 10%	2.110	2.050	1.50
P t - l R 10%	2.12	2.07	1.0
P t - l R 10%	2.13	2.03	2.0
P t - l R 10%	2.14	2.02	1.0
P t - l R 10%	2.140	2.080	1.00
P t - l R 10%	2.15	2.05	1.5
P t - l R 10%	2.16	2.06	1.5
P t - l R 10%	2.16	2.1	1.5
P t - l R 10%	2.200	2.150	1.00
P t - l R 10%	2.26	2.2	1.0
P t - l R 10%	2.27	2.15	1.0
P t - l R 10%	2.27	2.21	1.5
P t - l R 10%	2.3	2.2	2.0
P t - l R 10%	2.3	2.24	1.5
P t - l R 10%	2.3	2.26	1.0
P t - l R 10%	2.31	2.25	1.0
P t - l R 10%	2.35	2.25	1.0
P t - l R 10%	2.37	2.31	1.5
P t - l R 10%	2.38	2.31	2.00
P t - l R 10%	2.39	2.33	1.0
P t - l R 10%	2.440	2.360	1.50
P t - l R 10%	2.44	2.39	1.0
P t - l R 10%	2.44	2.39	1.5
P t - l R 10%	2.500	2.440	1.50
P t - l R 10%	2.51	2.45	1.0
P t - l R 10%	2.51	2.45	1.50
P t - l R 10%	2.53	2.45	1.5
P t - l R 10%	2.53	2.47	1.5
P t - l R 10%	2.54	2.48	1.0

材質	外径	内径	長さ
P t - I R 10%	2.54	2.48	1.5
P t - I R 10%	2.55	2.49	1.0
P t - I R 10%	2.59	2.49	1.0
P t - I R 10%	2.590	2.510	1.50
P t - I R 10%	2.6	2.25	1.5
P t - I R 10%	2.74	2.68	1.0
P t - I R 10%	2.77	2.71	0.5
P t - I R 10%	2.79	2.73	1.00
P t - I R 10%	2.81	2.75	1.00
P t - I R 10%	2.86	2.72	1.5
P t - I R 10%	2.93	2.85	1.50
P t - I R 10%	2.94	2.86	1.4
P t - I R 10%	3.00	2.94	1.00
P t - I R 10%	3.06	3.00	1.0
P t - I R 10%	3.26	3.18	1.0
P t - I R 10%	3.48	3.4	1.4
P t	0.4	0.35	0.6
P t	0.4	0.36	0.60
P t	0.42	0.38	0.6
P t	0.440	0.400	0.60
P t	0.52	0.48	0.6
P t	0.54	0.48	0.6
P t	0.54	0.50	0.6
P t	0.550	0.510	0.6
P t	0.550	0.510	1.00
P t	0.560	0.5	0.6
P t	0.560	0.52	0.6
P t	0.58	0.53	0.6
P t	0.580	0.540	1.00
P t	0.6	0.56	0.6
P t	0.610	0.570	1.00
P t	0.63	0.59	0.60
P t	0.64	0.58	0.60
P t	0.65	0.59	0.60
P t	0.650	0.610	1.00
P t	0.68	0.62	0.60
P t	0.69	0.64	0.6
P t	0.690	0.650	0.8
P t	0.690	0.650	1.00
P t	0.7	0.65	0.6
P t	0.71	0.66	0.6

材質	外径	内径	長さ
P t	0.73	0.67	0.6
P t	0.75	0.65	0.5
P t	0.78	0.72	0.6
P t	0.81	0.77	0.6
P t	0.88	0.82	0.6
P t	0.9	0.84	0.6
P t	1.03	0.99	0.6
P t	1.11	1.07	0.6
P t	1.12	1.08	0.6
P t	1.31	1.21	0.50
P t	1.340	1.250	0.50
P t	1.35	1.25	1.50
P t	1.35	1.25	1.50
P t	1.620	1.530	1.50
P t	1.620	1.530	4.00
P t	1.67	1.63	1.0
P t	1.700	1.640	1.50
P t	1.730	1.680	1.00
P t	1.820	1.770	1.00
P t	2.02	1.97	2.5
P t	2.02	1.98	0.50
P t	2.060	2.000	1.50
P t	2.09	2.04	0.80
P t	2.44	2.39	1.00
P t	2.48	2.43	1.0
P t	2.560	2.480	1.00
P t	2.71	2.65	1.0
P t	2.9	2.82	1.0